

ET-961 Hot Wire Anemometer



FEATURES

- High accuracy for low wind speed measurement
- Slim probe for narrow space's wind speed/wind flow
- 2.7 inches double line display with backlight
- Built-in temperature sensor, fast response of temperature measurement
- Selectable Wind speed unit/temperature unit



Specifications

Unit	Range	Resolution	Accuracy
M/S	0.1~25.0 m/s	0.01m/s	±5%±0.1m/s
km/h	0.3~90.0km/h	0.1km/h	±5%±0.1km/s
ft/min	20~4925ft/min	1ft/min	±5%±1Ft/min
MPH	0.2~55.8MPH	0.1MPH	±5%±0.1MPH
Knots	0.2~45.8knots	0.1knots	±5%±0.1 Knots
Air Temperature	0~50°C/32~122°F	0.1°C/°F	±1.0°C/1.8°F
CFM (CFM=ft ³ /min)	0~99999 ft ³ /min	0.001~100	
CFM (CFM=ft ³ /min)	0~99999 mt ³ /min	0.001~100	
Sampling Rate		0.8S	
Operating Temperature		-0°C~50°C/32°F~122°F	
Operating Humidity		<80%RH	
Power Supply		6F22 9V	
Adapter		DC9V 1A	
Dimension(L*W*H)		185*66*33mm	
Weight		310g	



Accessories: User's manual, 9Vbattery, tripod(optional), carrying case, large gift box